Water Isotope Ratio Infrared Spectrometer Iris

Hans-Jürg Jost ¹, Rosario lannone ², Daniele Romanini ³, Suresh Dhaniyala ⁴, and Erik Kerstel ²

- ¹ Bay Area Environmental Research Institute, CA [WB57 Mission Leader]
- ² University of Groningen, The Netherlands
- ³ University of Grenoble, France
- ⁴ Clarkson University, NY











Water Isotope Ratio Infrared Spectrometer Iris

Project History

Cavity Enhanced Spectroscopy

DC-8 Results

WB-57 Integration

Outlook











History

1999: Dutch NSF research proposal granted

Whole air sampler with laser based analysis in lab

2001: Redefined as in-situ analyzer

Jan 2003: Ph.D student Rosario lannone started

Feb 2003: collaboration with Grenoble initiated (OF-CEAS)

Jun 2003: collaboration with Ames (access to NASA DC-8

assured)

May 2004: First successful test flights on NASA's DC-8












Cavity enhanced














OF-CEAS

Grenoble














OF-CEAS Grenoble














OF-CEAS

Grenoble


















C-6 Results May 2004



Assuming water vapor conditions are constant during level flight at 13 km, the measurement precision amounts to about 9‰ for δ^2 H, 3‰ for δ^{17} O, while δ^{18} O shows an amazing 1.0‰ during a particularly quiet section (~200ppm).













WB-57 integration

Mar 28, 05: selection for Isotope Intercomparison start of WB-57 integration

- design and build inlet
- acquire flight computer and integration with Iris
- new detectors
- new laser electronics
- new breadboard











WB-57 integration

June 6, 05: first time parts from 4 labs spread over 9 time zones came together

June 11,05: first engineering flight during AVE















Bread Board

Groningen/Grenoble

Laser














Integration under Argus NASA Ames/BAERI













Shroud/Computer NASA Ames/BAERI












Institute





Results

- Instrument performed well thermally (no overheating on the ground)
- inlet flows are largely as expected
- community exhaust shows substantial pressure fluctuations
 - influences our sample flow
- new laser electronics performed well
- recovered from many problems due to short build time









Issues

- commercial pressure controller failed, so did spare
- Minco temperature controller burned out
- aircraft standards











Outlook


- working with manufacturers to fix controllers (sloooow!)
- investigating replacement
- pressure chamber tests
- plan to piggy back in November 05 time frame to demonstrate capabilities











Summary

- Iris is a near-IR, gas phase, water isotope instrument calibrated at CIO Groningen
- small, shares space with Argus
- mechanically and thermally fine
- inlet shows expected flows
- not recoverable problems with commercial controllers
- hope to contribute to CRAVE











Acknowledgments

PARTICIPANT	AFFILIATION	HOUSTON DEPLOYMENT
Mr. Henk Been *	University of Groningen	
Mr. Bruce Borchers *	BAERI	
Dr. Marc Chenevier	University of Grenoble	June 5 – June 26
Dr. Suresh Dhaniyala	Clarkson University	June 5 – June 12
Mr. Patrick Eddy	Clarkson University	June 5 – July 9
Dr. Hans-Jürg Jost	NASA Ames / BAERI	June 6 – June 11, June 25 – July 9
Mr. Rosario Iannone (PhD, this project)	University of Groningen	June 5 – July 9
Dr. Samir Kassi *	University of Grenoble	
Dr. Erik Kerstel	University of Groningen	June 24 – July 2
Dr. Daniele Romanini	University of Grenoble	
Dr. Marcel Snels	University of Groningen	June 5 – June 12
Mr. James Terman *	BAERI	June 6 - June 11, June 20 – July 8

funding from NASA UARP, RSP and European Agencies WB-57 crew and pilots









